

27.04.2008 14:00 - 27.04.2008 15:00



RMON										
	■	■	■	■	■					
[10.0.3.11] RMON Maximum Port Utilization (%)	<=25 100%	>25 0%	>30 0%	>35 0%	>40 0%	45				
[10.0.3.11] RMON Maximum Port Broadcast Packets (%)	<=5 100%	>5 0%	>6 0%	>7 0%	>8 0%	45				
[10.0.3.11] RMON Maximum Port Multicast Packets (%)	<=5 100%	>5 0%	>6 0%	>7 0%	>8 0%	45				
[10.0.3.11] RMON Maximum Port CRC-Align Errors (%)	<=0,01 100%	>0,01 0%	>0,01 0%	>0,03 0%	>0,05 0%	45				
[10.0.3.11] RMON Maximum Port Undersize Packets (%)	<=0,01 100%	>0,01 0%	>0,01 0%	>0,03 0%	>0,05 0%	45				
[10.0.3.11] RMON Maximum Port Oversize Packets (%)	<=0,01 100%	>0,01 0%	>0,01 0%	>0,03 0%	>0,05 0%	45				
[10.0.3.11] RMON Maximum Port Fragments (%)	<=0,01 100%	>0,01 0%	>0,01 0%	>0,03 0%	>0,05 0%	45				
[10.0.3.11] RMON Maximum Port Jabbers (%)	<=0,01 100%	>0,01 0%	>0,01 0%	>0,03 0%	>0,05 0%	45				
[10.0.3.11] RMON Maximum Port Collisions (%)	<=1 100%	>1 0%	>4 0%	>7 0%	>10 0%	45				
[10.0.3.11] RMON Device SNMP Availability (%)	>=99 100%	<99 0%	<96 0%	<94 0%	<90 0%	45				
	( )	100%	→	100%	→	100%	→	100%	→	45

ProLAN; +7 (495) 933-12-89, (495) 913-30-67, sales@prolan.ru. (www.prolan.ru/ta).


